

2020 NATIONAL HEREFORD PEN AND CARLOAD SHOW

Judges: Brent Meeks, Brent Mrnak, Troy Thomas

Pen / Load: **109**

Class **158**

Exhibitor: **Perks Ranch - Rockford, IL**

Averages

DOA: **243**
WT: **715**
WDA: **2.95**
SC:

Range in age: **28 days**
Pen/Load WT: **2,145**

Scratches

EPDs

CE: **0.5**
BW: **3.8**
WW: **56**
YW: **91**
DMI: **0.5**
SC: **0.8**
SCF: **15.0**
MILK: **27**
MCE: **-0.7**
MCW: **102**
UDDR: **1.2**
TEAT: **1.2**
CW: **76**
FAT: **0.00**
REA: **0.50**
MARB: **0.17**
\$BMI: **340**
\$BII: **416**
\$CHB: **111**

Pen / Load: **101**

Class **158**

Exhibitor: **Landgren Ranch - Bartlett, NE**

Averages

DOA: **247** Range in age: **14 days**
WT: **678** Pen/Load WT: **2,035**
WDA: **2.74**
SC:

Scratches

EPDs

CE: **1.6**
BW: **3.5**
WW: **60**
YW: **98**
DMI: **0.4**
SC: **0.7**
SCF: **9.2**
MILK: **26**
MCE: **2.2**
MCW: **98**
UDDR: **1.2**
TEAT: **1.2**
CW: **65**
FAT: **0.01**
REA: **0.41**
MARB: **0.09**
\$BMI: **238**
\$BII: **308**
\$CHB: **97**

Pen / Load: **121**

Class **158**

Exhibitor: **K&B Herefords - Onida, SD**

Averages

DOA: **292**
WT: **922**
WDA: **3.16**
SC:

Range in age: **5 days**
Pen/Load WT: **2,765**

EPDs

CE: **-1.7**
BW: **5.8**
WW: **64**
YW: **101**
DMI: **0.5**
SC: **0.8**
SCF: **17.0**
MILK: **25**
MCE: **0.5**
MCW: **113**
UDDR: **1.3**
TEAT: **1.4**
CW: **81**
FAT: **-0.02**
REA: **0.58**
MARB: **0.18**
\$BMI: **380**
\$BII: **464**
\$CHB: **120**

Scratches

RE 924

Pen / Load: **106**

Class **158**

Exhibitor: **Bill King Ranch - Moriarty, NM**

Averages

DOA: **293**
WT: **802**
WDA: **2.74**
SC:

Range in age: **51 days**
Pen/Load WT: **2,405**

EPDs

CE: **1.3**
BW: **3.8**
WW: **60**
YW: **97**
DMI: **0.4**
SC: **1.1**
SCF: **16.7**
MILK: **28**
MCE: **0.7**
MCW: **85**
UDDR: **1.2**
TEAT: **1.2**
CW: **75**
FAT: **0.00**
REA: **0.58**
MARB: **0.10**
\$BMI: **364**
\$BII: **439**
\$CHB: **115**

Scratches

BE 9210

Pen / Load: **112**

Class **158**

Exhibitor: **Harrison Cattle Co - Arapahoe, OK**

Averages

DOA: **317** Range in age: **7 days**
WT: **1,007** Pen/Load WT: **3,020**
WDA: **3.17**
SC:

Scratches

BE 900

EPDs

CE: **6.7**
BW: **2.6**
WW: **62**
YW: **106**
DMI: **0.4**
SC: **1.1**
SCF: **15.1**
MILK: **30**
MCE: **5.3**
MCW: **92**
UDDR: **1.3**
TEAT: **1.3**
CW: **77**
FAT: **-0.01**
REA: **0.78**
MARB: **0.00**
\$BMI: **345**
\$BII: **413**
\$CHB: **123**

Class & Division: 158 Spring Heifer Calves

| Place | MRNAK | | THOMAS | | MEEKS | | Final | Place |
|-----------------------|------------|--|------------|--|------------|--|------------|-----------------------|
| | A | | B | | REF | | | |
| 1st | 109 | | 109 | | 109 | | 109 | 1st |
| 2nd | 121 | | 121 | | 101 | | 121 | 2nd |
| 3rd | 112 | | 106 | | 121 | | 101 | 3rd |
| 4th | 101 | | 101 | | 106 | | 106 | 4th |
| 5th | 106 | | 112 | | 112 | | 112 | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

202 Pen / Load: **107**

Class 159A

I Show

Exhibitor: Krebs Cattle Co - Gordon, NE

Averages

DOA: 320
WT: 857
WDA: 2.68
SC:

Range in age: 6 days
Pen/Load WT: 2,570

EPDs

CE: -2.0
BW: 5.2
WW: 57
YW: 97
DMI: 0.1
SC: 0.8
SCF: 12.6
MILK: 29
MCE: 1.6
MCW: 111
UDDR: 1.1
TEAT: 1.1
CW: 74
FAT: -0.03
REA: 0.58
MARB: 0.14
\$BMI: 320
\$BII: 391
\$CHB: 125

Scratches

BE 919

Pen / Load: **117**

Class **159A**

Exhibitor: **TK Cattle Company - Burwell, NE**

Averages

DOA: **319** Range in age: **7 days**
WT: **760** Pen/Load WT: **2,280**
WDA: **2.38**
SC:

Scratches

EPDs

CE: **2.8**
BW: **4.8**
WW: **50**
YW: **83**
DMI: **-0.1**
SC: **1.1**
SCF: **17.1**
MILK: **19**
MCE: **1.1**
MCW: **92**
UDDR: **1.2**
TEAT: **1.1**
CW: **58**
FAT: **0.00**
REA: **0.27**
MARB: **0.06**
\$BMI: **353**
\$BII: **417**
\$CHB: **100**

Pen / Load: **104**

Class **159A**

Exhibitor: **DeBerard Cattle Co - Laramie, WY**

Averages

DOA: **330** Range in age: **18 days**
WT: **882** Pen/Load WT: **2,645**
WDA: **2.67**
SC:

Scratches

EPDs

CE: **4.0**
BW: **2.2**
WW: **58**
YW: **98**
DMI: **0.5**
SC: **1.2**
SCF: **18.1**
MILK: **27**
MCE: **2.4**
MCW: **76**
UDDR: **1.4**
TEAT: **1.4**
CW: **72**
FAT: **0.01**
REA: **0.51**
MARB: **0.10**
\$BMI: **376**
\$BII: **451**
\$CHB: **109**

Pen / Load: **111**

Class **159A**

Exhibitor: **Coyote Ridge Ranch - La Salle, CO**

Averages

DOA: **338** Range in age: **5 days**
WT: **972** Pen/Load WT: **2,915**
WDA: **2.87**
SC:

Scratches

EPDs

CE: **2.5**
BW: **2.6**
WW: **62**
YW: **97**
DMI: **0.5**
SC: **0.7**
SCF: **19.0**
MILK: **33**
MCE: **2.4**
MCW: **104**
UDDR: **1.2**
TEAT: **1.2**
CW: **72**
FAT: **0.01**
REA: **0.62**
MARB: **-0.05**
\$BMI: **386**
\$BII: **455**
\$CHB: **105**

Pen / Load: **102**

Class **159A**

Exhibitor: **Ernst Herefords - Windsor, CO**

Averages

DOA: **343** Range in age: **10 days**
WT: **897** Pen/Load WT: **2,690**
WDA: **2.61**
SC:

Scratches

BE 9100

EPDs

CE: **6.9**
BW: **1.6**
WW: **57**
YW: **92**
DMI: **0.0**
SC: **1.2**
SCF: **19.7**
MILK: **31**
MCE: **3.7**
MCW: **100**
UDDR: **1.4**
TEAT: **1.4**
CW: **80**
FAT: **-0.01**
REA: **0.54**
MARB: **0.08**
\$BMI: **424**
\$BII: **496**
\$CHB: **131**

Pen / Load: **125**

Class **159A**

Exhibitor: **Burns Farms - Pikeville, TN**

Averages

DOA: **350** Range in age: **47 days**
WT: **913** Pen/Load WT: **2,740**
WDA: **2.61**
SC:

Scratches

BE 966

EPDs

CE: **4.9**
BW: **3.0**
WW: **60**
YW: **100**
DMI: **0.3**
SC: **0.8**
SCF: **14.3**
MILK: **24**
MCE: **2.6**
MCW: **99**
UDDR: **1.2**
TEAT: **1.2**
CW: **78**
FAT: **0.03**
REA: **0.66**
MARB: **-0.01**
\$BMI: **327**
\$BII: **394**
\$CHB: **118**

Class: 159A Junior Heifer Calves

| Place | MEEKS | | MRNAK | | THOMAS | | Final | Place |
|-----------------------|------------|--|------------|--|------------|--|------------|-----------------------|
| | A | | B | | REF | | | |
| 1st | 107 | | 111 | | 107 | | 107 | 1st |
| 2nd | 111 | | 125 | | 111 | | 111 | 2nd |
| 3rd | 125 | | 107 | | 102 | | 125 | 3rd |
| 4th | 102 | | 102 | | 125 | | 102 | 4th |
| 5th | 104 | | 117 | | 104 | | 104 | 5th |
| 6th | 117 | | 104 | | 117 | | 117 | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **110**

Class **159B**

Exhibitor: **Delaney Herefords - Lake Benton, MN**

Averages

DOA: **357** Range in age: **9 days**
WT: **892** Pen/Load WT: **2,675**
WDA: **2.50**
SC:

Scratches

BE 36G

EPDs

CE: **3.9**
BW: **2.9**
WW: **69**
YW: **102**
DMI: **0.6**
SC: **1.4**
SCF: **18.7**
MILK: **30**
MCE: **2.8**
MCW: **103**
UDDR: **1.4**
TEAT: **1.3**
CW: **80**
FAT: **0.01**
REA: **0.61**
MARB: **0.11**
\$BMI: **394**
\$BII: **481**
\$CHB: **111**

Pen / Load: **123**

Class 159B

Exhibitor: Barber Ranch - Channing, TX

Averages

DOA: 361 Range in age: 5 days
WT: 1,028 Pen/Load WT: 3,085
WDA: 2.85
SC:

Scratches

EPDs

CE: 4.4
BW: 3.2
WW: 73
YW: 122
DMI: 0.7
SC: 1.5
SCF: 17.6
MILK: 27
MCE: 6.7
MCW: 137
UDDR: 1.3
TEAT: 1.2
CW: 82
FAT: 0.03
REA: 0.58
MARB: 0.24
\$BMI: 394
\$BII: 493
\$CHB: 122

Pen / Load: **118**

Class **159B**

Exhibitor: **Next Generation Genetics - Endeavor, WI**

Averages

DOA: **362**
WT: **965**
WDA: **2.67**
SC:

Range in age: **16 days**
Pen/Load WT: **2,895**

EPDs

CE: **1.9**
BW: **3.8**
WW: **60**
YW: **93**
DMI: **0.5**
SC: **0.7**
SCF: **13.9**
MILK: **30**
MCE: **2.6**
MCW: **82**
UDDR: **1.3**
TEAT: **1.3**
CW: **61**
FAT: **0.02**
REA: **0.47**
MARB: **0.03**
\$BMI: **298**
\$BII: **368**
\$CHB: **88**

Scratches

Pen / Load: **108**

Class **159B**

Exhibitor: **McGuffee Polled Herefords - New Hebron, MS**

Averages

DOA: **369**
WT: **995**
WDA: **2.70**
SC:

Range in age: **31 days**
Pen/Load WT: **2,985**

Scratches

EPDs

CE: **-1.4**
BW: **4.6**
WW: **59**
YW: **92**
DMI: **0.3**
SC: **0.9**
SCF: **13.7**
MILK: **27**
MCE: **1.0**
MCW: **88**
UDDR: **1.2**
TEAT: **1.1**
CW: **67**
FAT: **-0.01**
REA: **0.54**
MARB: **0.05**
\$BMI: **312**
\$BII: **381**
\$CHB: **104**

Pen / Load: **105**

Class **159B**

Exhibitor: **Bill King Ranch - Moriarty, NM**

Averages

DOA: **375** Range in age: **19 days**
WT: **1,002** Pen/Load WT: **3,005**
WDA: **2.67**
SC:

Scratches

BE 9031

EPDs

CE: **-0.1**
BW: **3.1**
WW: **58**
YW: **90**
DMI: **0.1**
SC: **1.1**
SCF: **16.6**
MILK: **25**
MCE: **-1.2**
MCW: **70**
UDDR: **1.2**
TEAT: **1.3**
CW: **67**
FAT: **0.03**
REA: **0.38**
MARB: **0.17**
\$BMI: **356**
\$BII: **434**
\$CHB: **105**

Class: 159B Junior Heifer Calves

| Place | THOMAS | | MEEKS | | MRNAK | | Final | Place |
|-----------------------|------------|--|------------|--|------------|--|------------|-----------------------|
| | A | | B | | REF | | | |
| 1st | 123 | | 123 | | 123 | | 123 | 1st |
| 2nd | 110 | | 110 | | 110 | | 110 | 2nd |
| 3rd | 105 | | 108 | | 118 | | 108 | 3rd |
| 4th | 118 | | 118 | | 108 | | 118 | 4th |
| 5th | 108 | | 105 | | 105 | | 105 | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **115**

Class **160**

Exhibitor: **Durbin Creek Ranch - Thermopolis, WY**

Averages

DOA: **427**

WT: **1,035**

WDA: **2.42**

SC:

Range in age: **11 days**

Pen/Load WT: **3,105**

EPDs

CE: **0.7**

BW: **2.9**

WW: **50**

YW: **86**

DMI: **0.1**

SC: **1.2**

SCF: **13.6**

MILK: **22**

MCE: **-1.8**

MCW: **92**

UDDR: **1.2**

TEAT: **1.1**

CW: **67**

FAT: **0.00**

REA: **0.40**

MARB: **0.10**

\$BMI: **312**

\$BII: **376**

\$CHB: **109**

Scratches

Pen / Load: **119**

Class **160**

Exhibitor: **GKB Cattle - Waxahachie, TX**

Averages

DOA: **440**
WT: **1,108**
WDA: **2.52**
SC:

Range in age: **11 days**
Pen/Load WT: **3,325**

EPDs

CE: **0.4**
BW: **5.0**
WW: **67**
YW: **106**
DMI: **0.4**
SC: **1.1**
SCF: **14.1**
MILK: **24**
MCE: **1.1**
MCW: **111**
UDDR: **1.1**
TEAT: **1.1**
CW: **74**
FAT: **0.01**
REA: **0.49**
MARB: **0.01**
\$BMI: **319**
\$BII: **393**
\$CHB: **111**

Scratches

RE 8715

Pen / Load: **124**

Class **160**

Exhibitor: **Southern Star Herefords - Riceville, TN**

Averages

DOA: **434**
WT: **953**
WDA: **2.19**
SC:

Range in age: **8 days**
Pen/Load WT: **2,860**

EPDs

CE: **2.1**
BW: **2.7**
WW: **61**
YW: **94**
DMI: **0.4**
SC: **0.9**
SCF: **14.3**
MILK: **31**
MCE: **1.5**
MCW: **81**
UDDR: **1.2**
TEAT: **1.2**
CW: **71**
FAT: **0.02**
REA: **0.59**
MARB: **0.19**
\$BMI: **329**
\$BII: **410**
\$CHB: **107**

Scratches

Pen / Load: **116**

Class **160**

Exhibitor: **Lorenzen Farms - Chrisman, IL**

Averages

DOA: **443** Range in age: **16 days**
WT: **950** Pen/Load WT: **2,850**
WDA: **2.15**
SC:

Scratches

EPDs

CE: **5.1**
BW: **3.0**
WW: **63**
YW: **104**
DMI: **0.3**
SC: **1.1**
SCF: **18.1**
MILK: **32**
MCE: **2.8**
MCW: **105**
UDDR: **1.2**
TEAT: **1.3**
CW: **78**
FAT: **-0.02**
REA: **0.63**
MARB: **0.09**
\$BMI: **395**
\$BI: **473**
\$CHB: **124**

Class: 160 Senior Heifer Calves

| Place | MEEKS | | MRNAK | | THOMAS | | Final | Place |
|-----------------------|------------|--|------------|--|------------|--|------------|-----------------------|
| | A | | B | | REF | | | |
| 1st | 119 | | 119 | | 119 | | 119 | 1st |
| 2nd | 116 | | 116 | | 124 | | 116 | 2nd |
| 3rd | 124 | | 115 | | 116 | | 124 | 3rd |
| 4th | 115 | | 124 | | 115 | | 115 | 4th |
| 5th | | | | | | | | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **122**

Class **161**

Exhibitor: **Missouri State University / Journagan Ranch - Mountain Grove, MO**

| <u>Averages</u> | | | | <u>EPDs</u> | |
|-----------------|-------|---------------|---------|-------------|------|
| DOA: | 480 | Range in age: | 18 days | CE: | 3.1 |
| WT: | 1,063 | Pen/Load WT: | 3,190 | BW: | 2.3 |
| WDA: | 2.22 | | | WW: | 52 |
| SC: | | | | YW: | 85 |
| | | | | DMI: | 0.3 |
| | | | | SC: | 1.0 |
| | | | | SCF: | 20.2 |
| | | | | MILK: | 22 |
| | | | | MCE: | 3.7 |
| | | | | MCW: | 88 |
| | | | | UDDR: | 1.3 |
| | | | | TEAT: | 1.3 |
| | | | | CW: | 64 |
| | | | | FAT: | 0.01 |
| | | | | REA: | 0.52 |
| | | | | MARB: | 0.14 |
| | | | | \$BMI: | 403 |
| | | | | \$BII: | 475 |
| | | | | \$CHB: | 99 |

Class: 161 Senior Heifer Calves

| THOMAS | | MEEKS | | MRNAK | | | | |
|-----------------------|------------|-------|------------|-------|------------|--|------------|-----------------------|
| Place | A | | B | | REF | | Final | Place |
| 1st | 122 | | 122 | | 122 | | 122 | 1st |
| 2nd | | | | | | | | 2nd |
| 3rd | | | | | | | | 3rd |
| 4th | | | | | | | | 4th |
| 5th | | | | | | | | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **103**

Class **163**

Exhibitor: **Colorado State University - Fort Collins, CO**

Averages

DOA: **653**
WT: **1,313**
WDA: **2.01**
SC:

Range in age: **4 days**
Pen/Load WT: **3,940**

Scratches

BE 8206

EPDs

CE: **9.6**
BW: **1.2**
WW: **62**
YW: **98**
DMI: **0.6**
SC: **1.3**
SCF: **16.6**
MILK: **23**
MCE: **6.2**
MCW: **106**
UDDR: **1.2**
TEAT: **1.0**
CW: **64**
FAT: **0.03**
REA: **0.35**
MARB: **0.16**
\$BMI: **345**
\$BII: **427**
\$CHB: **93**

Pen / Load: **127**

Class **163**

Exhibitor: **Pitt Farms Herefords/Broken Rock Farm - Nevada, IA**

| <u>Averages</u> | | EPDs | | | |
|-----------------|--------------|---------------|----------------|--------|-------------|
| DOA: | 669 | Range in age: | 10 days | CE: | 9.9 |
| WT: | 1,332 | Pen/Load WT: | 3,995 | BW: | 1.5 |
| WDA: | 1.99 | | | WW: | 61 |
| SC: | | | | YW: | 97 |
| | | | | DMI: | 0.5 |
| | | | | SC: | 1.1 |
| | | | | SCF: | 18.7 |
| | | | | MILK: | 29 |
| | | | | MCE: | 3.6 |
| | | | | MCW: | 80 |
| | | | | UDDR: | 1.4 |
| | | | | TEAT: | 1.4 |
| | | | | CW: | 73 |
| | | | | FAT: | 0.05 |
| | | | | REA: | 0.35 |
| | | | | MARB: | 0.35 |
| | | | | \$BMI: | 392 |
| | | | | \$BII: | 488 |
| | | | | \$CHB: | 104 |

Scratches

LE F026/RE PITT

Pen / Load: **114**

Class **163**

Exhibitor: **Durbin Creek Ranch - Thermopolis, WY**

Averages

DOA: **676**

WT: **1,500**

WDA: **2.22**

SC:

Range in age: **7 days**

Pen/Load WT: **4,500**

EPDs

CE: **5.8**

BW: **2.7**

VVW: **57**

YW: **89**

DMI: **0.1**

SC: **0.9**

SCF: **19.4**

MILK: **26**

MCE: **5.3**

MCW: **89**

UDDR: **1.3**

TEAT: **1.3**

CW: **72**

FAT: **-0.01**

REA: **0.44**

MARB: **0.08**

\$BMI: **403**

\$BII: **477**

\$CHB: **115**

Scratches

Class & Division: 163 Spring Yearling Heifers

| Place | MEEKS | | MRNAK | | THOMAS | | Final | Place |
|-----------------------|------------|--|------------|--|------------|--|------------|-----------------------|
| | A | | B | | REF | | | |
| 1st | 103 | | 103 | | 103 | | 103 | 1st |
| 2nd | 114 | | 114 | | 127 | | 114 | 2nd |
| 3rd | 127 | | 127 | | 114 | | 127 | 3rd |
| 4th | | | | | | | | 4th |
| 5th | | | | | | | | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **126**

Class **164**

Exhibitor: **Perez Cattle Co - Nara Visa, NM**

Averages

DOA: **692** Range in age: **19 days**
WT: **1,515** Pen/Load WT: **4,545**
WDA: **2.19**
SC:

Scratches

RE 8152

EPDs

CE: **6.9**
BW: **2.5**
WW: **58**
YW: **89**
DMI: **0.3**
SC: **0.8**
SCF: **16.8**
MILK: **29**
MCE: **4.8**
MCW: **79**
UDDR: **1.2**
TEAT: **1.2**
CW: **66**
FAT: **0.02**
REA: **0.50**
MARB: **0.02**
\$BMI: **348**
\$BII: **416**
\$CHB: **99**

Pen / Load: **113**

Class **164**

Exhibitor: **Kester Herefords - Clearwater, NE**

Averages

DOA: **698** Range in age: **1 days**
WT: **1,345** Pen/Load WT: **4,035**
WDA: **1.93**
SC:

Scratches

EPDs

CE: **5.3**
BW: **1.8**
WW: **55**
YW: **91**
DMI: **0.2**
SC: **1.0**
SCF: **17.4**
MILK: **24**
MCE: **3.5**
MCW: **108**
UDDR: **1.3**
TEAT: **1.3**
CW: **71**
FAT: **0.00**
REA: **0.49**
MARB: **0.02**
\$BMI: **370**
\$BII: **436**
\$CHB: **113**

Class & Division: 164 Junior Yearling Heifers

| THOMAS | | MEEKS | | MRNAK | | | |
|-----------------------|------------|------------|------------|------------|-----------------------|--|--|
| Place | A | B | REF | Final | Place | | |
| 1st | 126 | 126 | 126 | 126 | 1st | | |
| 2nd | 113 | 113 | 113 | 113 | 2nd | | |
| 3rd | | | | | 3rd | | |
| 4th | | | | | 4th | | |
| 5th | | | | | 5th | | |
| 6th | | | | | 6th | | |
| 7th | | | | | 7th | | |

Pen / Load: **202**

Class **106**

Exhibitor: **Baumgarten Cattle Company - Belfield, ND**

Averages

DOA: **330**
WT: **1,140**
WDA: **3.45**
SC: **34.8**

Range in age: **27 days**
Pen/Load WT: **11,395**

EPDs

CE: **1.3**
BW: **4.0**
WW: **59**
YW: **97**
DMI: **0.4**
SC: **1.0**
SCF: **14.8**
MILK: **26**
MCE: **0.6**
MCW: **107**
UDDR: **1.3**
TEAT: **1.2**
CW: **79**
FAT: **0.00**
REA: **0.58**
MARB: **0.11**
\$BMI: **342**
\$BII: **416**
\$CHB: **119**

Scratches

BE 9102

Pen / Load: **201**

Class **106**

Exhibitor: **Hoffman Herefords - Thedford, NE**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 357 | Range in age: | 43 days |
| WT: | 1,193 | Pen/Load WT: | 11,930 |
| WDA: | 3.34 | | |
| SC: | 35.3 | | |

Scratches

BE 9103

EPDs

| | |
|--------|--------------|
| CE: | 3.7 |
| BW: | 3.4 |
| VW: | 66 |
| YW: | 102 |
| DMI: | 0.4 |
| SC: | 1.0 |
| SCF: | 16.3 |
| MILK: | 29 |
| MCE: | 2.5 |
| MCW: | 102 |
| UDDR: | 1.3 |
| TEAT: | 1.2 |
| CW: | 79 |
| FAT: | -0.01 |
| REA: | 0.65 |
| MARB: | 0.00 |
| \$BMI: | 361 |
| \$BII: | 433 |
| \$CHB: | 120 |

Class & Division: 106 Carload Junior Bull Calves

| | | MEEKS | | MRNAK | | THOMAS | | | |
|-----------------------|------------|-------|------------|-------|------------|--------|------------|-----------------------|--|
| Place | A | | B | | REF | | Final | Place | |
| 1st | 201 | | 202 | | 202 | | 202 | 1st | |
| 2nd | 202 | | 201 | | 201 | | 201 | 2nd | |
| 3rd | | | | | | | | 3rd | |
| 4th | | | | | | | | 4th | |
| 5th | | | | | | | | 5th | |
| 6th | | | | | | | | 6th | |
| 7th | | | | | | | | 7th | |

Pen / Load: **311**

Class **151A**

Exhibitor: **Landgren Ranch - Bartlett, NE**

Averages

DOA: **291** Range in age: **32 days**
WT: **958** Pen/Load WT: **2,875**
WDA: **3.30**
SC: **31.7**

EPDs

CE: **0.0**
BW: **4.7**
WW: **61**
YW: **106**
DMI: **0.5**
SC: **1.0**
SCF: **10.5**
MILK: **26**
MCE: **2.0**
MCW: **115**
UDDR: **1.3**
TEAT: **1.3**
CW: **71**
FAT: **0.01**
REA: **0.47**
MARB: **0.14**
\$BMI: **273**
\$BII: **348**
\$CHB: **111**

Scratches

Pen / Load: **332**

Class **151A**

Exhibitor: **Sidwell Herefords - Carr, CO**

Averages

| | | | |
|------|--------------|---------------|---------------|
| DOA: | 292 | Range in age: | 8 days |
| WT: | 1,080 | Pen/Load WT: | 3,240 |
| WDA: | 3.69 | | |
| SC: | 33.0 | | |

Scratches

EPDs

| | |
|--------|-------|
| CE: | 2.1 |
| BW: | 3.8 |
| VW: | 59 |
| YW: | 91 |
| DMI: | 0.8 |
| SC: | 1.0 |
| SCF: | 12.2 |
| MILK: | 32 |
| MCE: | 3.1 |
| MCW: | 99 |
| UDDR: | 1.2 |
| TEAT: | 1.2 |
| CW: | 76 |
| FAT: | 0.00 |
| REA: | 0.47 |
| MARB: | -0.09 |
| \$BMI: | 275 |
| \$BII: | 334 |
| \$CHB: | 99 |

Pen / Load: **315**

Class **151A**

Exhibitor: **Burns Farms - Pikeville, TN**

Averages

DOA: **298** Range in age: **3 days**
WT: **1,150** Pen/Load WT: **3,450**
WDA: **3.85**
SC: **33.8**

EPDs

CE: **2.6**
BW: **2.9**
WW: **65**
YW: **106**
DMI: **0.6**
SC: **1.3**
SCF: **14.8**
MILK: **29**
MCE: **0.4**
MCW: **104**
UDDR: **1.2**
TEAT: **1.3**
CW: **73**
FAT: **0.06**
REA: **0.43**
MARB: **0.15**
\$BMI: **328**
\$BII: **412**
\$CHB: **102**

Scratches

BE 10G

Pen / Load: **325**

Class **151A**

Exhibitor: **Ravine Creek Ranch - Huron, SD**

Averages

DOA: **295** Range in age: **15 days**
WT: **1,028** Pen/Load WT: **3,085**
WDA: **3.48**
SC: **33.0**

Scratches

RE 9435
RE 9523

EPDs

CE: **8.9**
BW: **2.1**
VW: **64**
YW: **100**
DMI: **0.6**
SC: **1.3**
SCF: **17.8**
MILK: **29**
MCE: **4.3**
MCW: **105**
UDDR: **1.2**
TEAT: **1.3**
CW: **86**
FAT: **0.04**
REA: **0.62**
MARB: **-0.01**
\$BMI: **380**
\$BII: **454**
\$CHB: **120**

Class: 151A Spring Bull Calves

| Place | THOMAS | | MEEKS | | MRNAK | | Final | Place |
|-----------------------|------------|--|------------|--|------------|--|------------|-----------------------|
| | A | | B | | REF | | | |
| 1st | 325 | | 315 | | 325 | | 325 | 1st |
| 2nd | 311 | | 325 | | 315 | | 315 | 2nd |
| 3rd | 332 | | 311 | | 332 | | 311 | 3rd |
| 4th | 315 | | 332 | | 311 | | 332 | 4th |
| 5th | | | | | | | | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **312**

Class **151B**

Exhibitor: **Jensen Bros - Courtland, KS**

Averages

| | | | |
|------|--------------|---------------|---------------|
| DOA: | 317 | Range in age: | 7 days |
| WT: | 1,077 | Pen/Load WT: | 3,230 |
| WDA: | 3.40 | | |
| SC: | 34.0 | | |

Scratches

BE 710G

EPDs

| | |
|--------|-------------|
| CE: | -2.8 |
| BW: | 4.5 |
| WW: | 71 |
| YW: | 109 |
| DMI: | 0.6 |
| SC: | 1.3 |
| SCF: | 16.2 |
| MILK: | 27 |
| MCE: | -1.1 |
| MCW: | 106 |
| UDDR: | 1.2 |
| TEAT: | 1.2 |
| CW: | 77 |
| FAT: | 0.01 |
| REA: | 0.61 |
| MARB: | 0.03 |
| \$BMI: | 354 |
| \$BI: | 435 |
| \$CHB: | 111 |

Pen / Load: **333**

Class **151B**

Exhibitor: **Harrison Cattle Co - Arapaho, OK**

Averages

DOA: **318**
WT: **1,197**
WDA: **3.76**
SC: **36.3**

Range in age: **5 days**
Pen/Load WT: **3,590**

EPDs

CE: **3.7**
BW: **3.3**
WW: **66**
YW: **117**
DMI: **0.2**
SC: **1.2**
SCF: **16.1**
MILK: **30**
MCE: **2.8**
MCW: **95**
UDDR: **1.2**
TEAT: **1.3**
CW: **83**
FAT: **-0.01**
REA: **0.72**
MARB: **-0.03**
\$BMI: **370**
\$BII: **441**
\$CHB: **138**

Scratches

RE 9072

Pen / Load: **319**

Class **151B**

Exhibitor: **Perks Ranch - Rockford, IL**

Averages

DOA: **322**
WT: **1,152**
WDA: **3.58**
SC: **33.3**

Range in age: **1 days**
Pen/Load WT: **3,455**

EPDs

CE: **0.5**
BW: **3.4**
WW: **57**
YW: **86**
DMI: **0.4**
SC: **1.1**
SCF: **16.5**
MILK: **31**
MCE: **2.1**
MCW: **91**
UDDR: **1.3**
TEAT: **1.4**
CW: **70**
FAT: **0.02**
REA: **0.78**
MARB: **-0.05**
\$BMI: **350**
\$BII: **411**
\$CHB: **101**

Scratches

BE 9049

Class: 151B Spring Bull Calves

| Place | MRNAK | | THOMAS | | MEEKS | | Final | Place |
|-----------------------|------------|--|------------|--|------------|--|------------|-----------------------|
| | A | | B | | REF | | | |
| 1st | 312 | | 312 | | 312 | | 312 | 1st |
| 2nd | 333 | | 333 | | 319 | | 333 | 2nd |
| 3rd | 319 | | 319 | | 333 | | 319 | 3rd |
| 4th | | | | | | | | 4th |
| 5th | | | | | | | | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **330**

Class: **152A**

Exhibitor: **Bar Star Cattle - Musselshell, MT**

Averages

DOA: **325** Range in age: **17 days**
WT: **1,048** Pen/Load WT: **3,145**
WDA: **3.22**
SC: **34.5**

Scratches

BE 944
BE 941

EPDs

CE: **10.3**
BW: **1.1**
WW: **58**
YW: **87**
DMI: **0.4**
SC: **0.8**
SCF: **17.6**
MILK: **22**
MCE: **3.2**
MCW: **100**
UDDR: **1.4**
TEAT: **1.4**
CW: **76**
FAT: **0.02**
REA: **0.47**
MARB: **0.16**
\$BMI: **376**
\$BII: **455**
\$CHB: **110**

Pen / Load: **310**

Class **152A**

Exhibitor: **Coyote Ridge Ranch - La Salle, CO**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 327 | Range in age: | 31 days |
| WT: | 1,308 | Pen/Load WT: | 3,925 |
| WDA: | 4.00 | | |
| SC: | 36.7 | | |

Scratches

BE 977

EPDs

| | |
|--------|-------------|
| CE: | 2.4 |
| BW: | 4.0 |
| WW: | 65 |
| YW: | 104 |
| DMI: | 0.4 |
| SC: | 1.1 |
| SCF: | 19.1 |
| MILK: | 37 |
| MCE: | 0.5 |
| MCW: | 94 |
| UDDR: | 1.2 |
| TEAT: | 1.2 |
| CW: | 82 |
| FAT: | 0.02 |
| REA: | 0.56 |
| MARB: | 0.06 |
| \$BMI: | 407 |
| \$BII: | 487 |
| \$CHB: | 122 |

Pen / Load: **321**

Class **152A**

Exhibitor: **Delaney Herefords - Lake Benton, MN**

Averages

DOA: **328**
WT: **1,035**
WDA: **3.16**
SC: **35.7**

Range in age: **8 days**
Pen/Load WT: **3,105**

EPDs

CE: **8.8**
BW: **1.3**
WW: **56**
YW: **89**
DMI: **0.3**
SC: **1.2**
SCF: **19.2**
MILK: **31**
MCE: **4.2**
MCW: **97**
UDDR: **1.3**
TEAT: **1.3**
CW: **66**
FAT: **0.02**
REA: **0.45**
MARB: **0.13**
\$BMI: **394**
\$BII: **469**
\$CHB: **102**

Scratches

Pen / Load: **328**

Class **152A**

Exhibitor: **Valley Creek Ranch - Fairbury, NE**

Averages

DOA: **345** Range in age: **8 days**
WT: **1,168** Pen/Load WT: **3,505**
WDA: **3.39**
SC: **37.0**

EPDs

CE: **9.2**
BW: **1.1**
WW: **58**
YW: **89**
DMI: **0.3**
SC: **1.1**
SCF: **16.0**
MILK: **31**
MCE: **4.8**
MCW: **80**
UDDR: **1.3**
TEAT: **1.4**
CW: **69**
FAT: **0.06**
REA: **0.35**
MARB: **0.10**
\$BMI: **339**
\$BII: **414**
\$CHB: **99**

Scratches

LE 960G/RE VCR

Pen / Load: **335**

Class **152A**

Exhibitor: **Ernst Herefords - Winds or, CO**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 331 | Range in age: | 17 days |
| WT: | 1,077 | Pen/Load WT: | 3,230 |
| WDA: | 3.25 | | |
| SC: | 36.7 | | |

Scratches

BE 9110

EPDs

| | |
|--------|-------------|
| CE: | 3.5 |
| BW: | 2.1 |
| WW: | 52 |
| YW: | 86 |
| DMI: | 0.2 |
| SC: | 0.9 |
| SCF: | 17.9 |
| MILK: | 31 |
| MCE: | 2.2 |
| MCW: | 71 |
| UDDR: | 1.4 |
| TEAT: | 1.4 |
| CW: | 63 |
| FAT: | 0.02 |
| REA: | 0.37 |
| MARB: | 0.03 |
| \$BMI: | 362 |
| \$BII: | 426 |
| \$CHB: | 98 |

Pen / Load: **317**

Class **152A**

Exhibitor: **DeBerard Cattle Company - Laramie, WY**

Averages

DOA: 337 Range in age: **11 days**
WT: 1,127 Pen/Load WT: **3,380**
WDA: 3.35
SC: 34.8

EPDs

CE: 6.1
BW: 1.2
WW: 56
YW: 91
DMI: 0.2
SC: 1.3
SCF: 19.5
MILK: 32
MCE: 3.3
MCW: 74
UDDR: 1.5
TEAT: 1.5
CW: 76
FAT: 0.01
REA: 0.52
MARB: 0.14
\$BMI: 410
\$BII: 485
\$CHB: 119

Scratches

Class: 152A Junior Bull Calves

| THOMAS | | MEEKS | | MRNAK | | | | |
|-----------------------|------------|-------|------------|-------|------------|-------|------------|-----------------------|
| Place | A | B | A | REF | B | Final | Place | |
| 1st | 310 | | 310 | | 310 | | 310 | 1st |
| 2nd | 321 | | 328 | | 330 | | 321 | 2nd |
| 3rd | 330 | | 321 | | 321 | | 330 | 3rd |
| 4th | 335 | | 330 | | 317 | | 328 | 4th |
| 5th | 328 | | 317 | | 328 | | 317 | 5th |
| 6th | 317 | | 335 | | 335 | | 335 | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **308**

Class **152B**

Exhibitor: **Sandhill Farm - Haviland, KS**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 344 | Range in age: | 26 days |
| WT: | 1,242 | Pen/Load WT: | 3,725 |
| WDA: | 3.61 | | |
| SC: | 36.0 | | |

Scratches

BE G115

EPDs

| | |
|--------|-------------|
| CE: | 7.8 |
| BW: | 1.9 |
| WW: | 68 |
| YW: | 105 |
| DMI: | 0.4 |
| SC: | 1.1 |
| SCF: | 15.5 |
| MILK: | 24 |
| MCE: | 4.3 |
| MCW: | 99 |
| UDDR: | 1.4 |
| TEAT: | 1.4 |
| CW: | 83 |
| FAT: | 0.01 |
| REA: | 0.76 |
| MARB: | 0.35 |
| \$BMI: | 376 |
| \$BII: | 473 |
| \$CHB: | 129 |

Pen / Load: **301**

Class **152B**

Exhibitor: **Colyer Herefords - Bruneau, ID**

Averages

DOA: **366** Range in age: **30 days**
WT: **1,358** Pen/Load WT: **4,075**
WDA: **3.71**
SC: **36.5**

Scratches

BE 9262
BE 9257
BE 9245

EPDs

CE: **-1.5**
BW: **4.1**
WW: **66**
YW: **103**
DMI: **0.3**
SC: **1.7**
SCF: **15.6**
MILK: **32**
MCE: **-1.5**
MCW: **86**
UDDR: **1.2**
TEAT: **1.1**
CW: **78**
FAT: **0.01**
REA: **0.68**
MARB: **0.17**
\$BMI: **363**
\$BII: **447**
\$CHB: **122**

Pen / Load: **337**

Class **152B**

Exhibitor: **Mountain View Herefords - Elgin, AZ**

Averages

| | | | |
|------|--------------|---------------|---------------|
| DOA: | 345 | Range in age: | 7 days |
| WT: | 1,212 | Pen/Load WT: | 3,635 |
| WDA: | 3.52 | | |
| SC: | 39.0 | | |

EPDs

| | |
|--------|-------------|
| CE: | 3.8 |
| BW: | 3.0 |
| VW: | 58 |
| YW: | 96 |
| DMI: | 0.4 |
| SC: | 1.1 |
| SCF: | 13.9 |
| MILK: | 29 |
| MCE: | 2.5 |
| MCW: | 84 |
| UDDR: | 1.3 |
| TEAT: | 1.3 |
| CW: | 76 |
| FAT: | 0.03 |
| REA: | 0.53 |
| MARB: | 0.15 |
| \$BMI: | 323 |
| \$BII: | 398 |
| \$CHB: | 113 |

Scratches

Pen / Load: **323**

Class **152B**

Exhibitor: **Barber Ranch - Channing, TX**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 358 | Range in age: | 10 days |
| WT: | 1,138 | Pen/Load WT: | 3,415 |
| WDA: | 3.18 | | |
| SC: | 33.7 | | |

EPDs

| | |
|--------|-------------|
| CE: | -0.9 |
| BW: | 4.9 |
| VW: | 61 |
| YW: | 98 |
| DMI: | 0.6 |
| SC: | 0.6 |
| SCF: | 15.7 |
| MILK: | 28 |
| MCE: | -2.0 |
| MCW: | 89 |
| UDDR: | 1.2 |
| TEAT: | 1.2 |
| CW: | 73 |
| FAT: | 0.00 |
| REA: | 0.64 |
| MARB: | 0.00 |
| \$BMI: | 337 |
| \$BII: | 405 |
| \$CHB: | 104 |

Scratches

Pen / Load: **320**

Class **152B**

Exhibitor: **Delaney Herefords - Lake Benton, MN**

Averages

DOA: **362** Range in age: **4 days**
WT: **1,307** Pen/Load WT: **3,920**
WDA: **3.61**
SC: **38.0**

Scratches

BE 21G

EPDs

CE: **5.2**
BW: **2.1**
WW: **70**
YW: **102**
DMI: **0.6**
SC: **1.3**
SCF: **18.5**
MILK: **31**
MCE: **3.7**
MCW: **109**
UDDR: **1.5**
TEAT: **1.4**
CW: **93**
FAT: **0.03**
REA: **0.75**
MARB: **0.30**
\$BMI: **420**
\$BII: **519**
\$CHB: **130**

Pen / Load: **318**

Class **152B**

Exhibitor: **Perks Ranch - Rockford, IL**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 366 | Range in age: | 18 days |
| WT: | 1,343 | Pen/Load WT: | 4,030 |
| WDA: | 3.67 | | |
| SC: | 35.0 | | |

Scratches

EPDs

| | |
|--------|--------------|
| CE: | -0.9 |
| BW: | 5.4 |
| WW: | 66 |
| YW: | 104 |
| DMI: | 0.5 |
| SC: | 0.6 |
| SCF: | 12.1 |
| MILK: | 28 |
| MCE: | 1.1 |
| MCW: | 94 |
| UDDR: | 1.1 |
| TEAT: | 1.2 |
| CW: | 76 |
| FAT: | 0.00 |
| REA: | 0.72 |
| MARB: | -0.04 |
| \$BMI: | 294 |
| \$BII: | 361 |
| \$CHB: | 114 |

Pen / Load: **331**

Class **153**

Exhibitor: **GKB Cattle - Waxahachie, TX**

Averages

DOA: **467**
WT: **1,425**
WDA: **3.05**
SC: **37.5**

Range in age: **6 days**
Pen/Load WT: **4,275**

EPDs

CE: **-2.5**
BW: **3.9**
WW: **63**
YW: **94**
DMI: **0.5**
SC: **1.5**
SCF: **17.1**
MILK: **26**
MCE: **-3.0**
MCW: **89**
UDDR: **1.2**
TEAT: **1.3**
CW: **81**
FAT: **0.02**
REA: **0.70**
MARB: **0.08**
\$BMI: **374**
\$BII: **451**
\$CHB: **115**

Scratches

LE 8625

Class: 153 Senior Bull Calves

| THOMAS | | MEEKS | | MRNAK | | | |
|-----------------------|------------|-------|------------|-------|------------|--|-----------------------|
| Place | A | B | REF | Final | Place | | |
| 1st | 331 | | 331 | | 331 | | 1st |
| 2nd | | | | | | | 2nd |
| 3rd | | | | | | | 3rd |
| 4th | | | | | | | 4th |
| 5th | | | | | | | 5th |
| 6th | | | | | | | 6th |
| 7th | | | | | | | 7th |

Pen / Load: **322**

Class **154**

Exhibitor: **Noack Herefords - Rockdale, TX**

Averages

DOA: **461** Range in age: **37 days**
WT: **1,118** Pen/Load WT: **3,355**
WDA: **2.42**
SC: **38.2**

EPDs

CE: **1.4**
BW: **3.4**
WW: **59**
YW: **97**
DMI: **0.6**
SC: **1.1**
SCF: **13.7**
MILK: **27**
MCE: **1.4**
MCW: **80**
UDDR: **1.2**
TEAT: **1.2**
CW: **76**
FAT: **0.04**
REA: **0.47**
MARB: **-0.03**
\$BMI: **300**
\$BII: **364**
\$CHB: **104**

Scratches

BE 8116

Pen / Load: **327**

Class **154**

Exhibitor: **Innisfail Farm - Madison, GA**

Averages

DOA: **495**
WT: **1,432**
WDA: **2.89**
SC: **37.8**

Range in age: **8 days**
Pen/Load WT: **4,295**

EPDs

CE: **7.1**
BW: **3.0**
WW: **71**
YW: **117**
DMI: **0.7**
SC: **1.2**
SCF: **18.3**
MILK: **27**
MCE: **5.6**
MCW: **119**
UDDR: **1.5**
TEAT: **1.4**
CW: **83**
FAT: **0.05**
REA: **0.72**
MARB: **0.65**
\$BMI: **426**
\$BII: **550**
\$CHB: **124**

Scratches

LE 1833/RE IF

Pen / Load: **309**

Class **154**

Exhibitor: **Lars on Hereford Farms - Spring Valley, WI**

| <u>Averages</u> | | EPDs | | | |
|-----------------|--------------|---------------|----------------|--------|-------------|
| DOA: | 507 | Range in age: | 11 days | CE: | 4.2 |
| WT: | 1,570 | Pen/Load WT: | 4,710 | BW: | 3.2 |
| WDA: | 3.09 | | | WW: | 58 |
| SC: | 40.7 | | | YW: | 96 |
| | | | | DMI: | 0.0 |
| | | | | SC: | 1.7 |
| | | | | SCF: | 15.1 |
| | | | | MILK: | 28 |
| | | | | MCE: | 1.8 |
| | | | | MCW: | 94 |
| | | | | UDDR: | 1.1 |
| | | | | TEAT: | 1.1 |
| | | | | CW: | 64 |
| | | | | FAT: | 0.00 |
| | | | | REA: | 0.47 |
| | | | | MARB: | 0.12 |
| | | | | \$BMI: | 339 |
| | | | | \$BII: | 412 |
| | | | | \$CHB: | 109 |

Scratches

LE 1853

Pen / Load: **314**

Class **154**

Exhibitor: **Burns Farms - Pikeville, TN**

Averages

DOA: **512** Range in age: **40 days**
WT: **1,575** Pen/Load WT: **4,725**
WDA: **3.08**
SC: **40.0**

Scratches

EPDs

CE: **3.9**
BW: **2.4**
WW: **53**
YW: **90**
DMI: **0.3**
SC: **1.5**
SCF: **17.1**
MILK: **29**
MCE: **3.1**
MCW: **102**
UDDR: **1.3**
TEAT: **1.4**
CW: **75**
FAT: **0.03**
REA: **0.61**
MARB: **0.23**
\$BMI: **377**
\$BII: **454**
\$CHB: **114**

Pen / Load: **304**

Class **154**

Exhibitor: **White Hawk Ranch - Marietta, GA**

Averages

DOA: **528** Range in age: **19 days**
WT: **1,533** Pen/Load WT: **4,600**
WDA: **2.91**
SC: **38.7**

EPDs

CE: **7.7**
BW: **2.7**
VW: **65**
YW: **105**
DMI: **0.5**
SC: **1.2**
SCF: **18.9**
MILK: **28**
MCE: **6.4**
MCW: **106**
UDDR: **1.4**
TEAT: **1.4**
CW: **77**
FAT: **0.06**
REA: **0.40**
MARB: **0.47**
\$BMI: **412**
\$BII: **520**
\$CHB: **113**

Scratches

Class: 154 Senior Bull Calves

| Place | MRNAK | THOMAS | | MEEKS | | Final | Place | |
|-----------------------|------------|--------|------------|-------|------------|-------|------------|-----------------------|
| | A | B | REF | | | | | |
| 1st | 304 | | 304 | | 314 | | 304 | 1st |
| 2nd | 314 | | 314 | | 309 | | 314 | 2nd |
| 3rd | 309 | | 327 | | 327 | | 309 | 3rd |
| 4th | 327 | | 309 | | 304 | | 327 | 4th |
| 5th | 322 | | 322 | | 322 | | 322 | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **324**

Class **155A**

Exhibitor: **B&C Cattle Co - Miami, TX**

Averages

DOA: **642** Range in age: **30 days**
WT: **2,030** Pen/Load WT: **6,090**
WDA: **3.16**
SC: **40.5**

EPDs

CE: **4.9**
BW: **2.3**
WW: **54**
YW: **85**
DMI: **0.2**
SC: **0.9**
SCF: **13.9**
MILK: **28**
MCE: **5.4**
MCW: **94**
UDDR: **1.1**
TEAT: **1.1**
CW: **67**
FAT: **0.00**
REA: **0.49**
MARB: **0.14**
\$BMI: **318**
\$BII: **388**
\$CHB: **105**

Scratches

Pen / Load: **334**

Class **155A**

Exhibitor: **Nolles Cattle Company - Bassett, NE**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 655 | Range in age: | 35 days |
| WT: | 1,520 | Pen/Load WT: | 4,560 |
| WDA: | 2.32 | | |
| SC: | 38.7 | | |

EPDs

| | |
|--------|--------------|
| CE: | -2.6 |
| BW: | 5.1 |
| WW: | 65 |
| YW: | 109 |
| DMI: | 0.3 |
| SC: | 1.2 |
| SCF: | 18.2 |
| MILK: | 30 |
| MCE: | 1.4 |
| MCW: | 124 |
| UDDR: | 1.2 |
| TEAT: | 1.2 |
| CW: | 78 |
| FAT: | -0.03 |
| REA: | 0.62 |
| MARB: | 0.03 |
| \$BMI: | 400 |
| \$BII: | 476 |
| \$CHB: | 128 |

Scratches

Pen / Load: **336**

Class **155A**

Exhibitor: **Pitt Farms Herefords/Broken Rock Farm - Nevada, IA**

Averages

DOA: **656**
WT: **1,695**
WDA: **2.58**
SC: **42.3**

Range in age: **6 days**
Pen/Load WT: **5,085**

EPDs

CE: **3.0**
BW: **1.9**
WW: **67**
YW: **103**
DMI: **0.3**
SC: **1.7**
SCF: **19.6**
MILK: **19**
MCE: **1.9**
MCW: **104**
UDDR: **1.4**
TEAT: **1.4**
CW: **80**
FAT: **0.04**
REA: **0.47**
MARB: **0.19**
\$BMI: **414**
\$BII: **505**
\$CHB: **117**

Scratches

Pen / Load: **326**

Class **155A**

Exhibitor: **Durbin Creek Ranch - Thermopolis, WY**

Averages

DOA: **660**
WT: **1,882**
WDA: **2.85**
SC: **41.8**

Range in age: **53 days**
Pen/Load WT: **5,645**

EPDs

CE: **3.8**
BW: **3.7**
WW: **57**
YW: **96**
DMI: **0.4**
SC: **1.2**
SCF: **17.6**
MILK: **24**
MCE: **2.8**
MCW: **101**
UDDR: **1.3**
TEAT: **1.2**
CW: **75**
FAT: **0.01**
REA: **0.55**
MARB: **-0.06**
\$BMI: **368**
\$BII: **431**
\$CHB: **115**

Scratches

Class: 155A Yearling Bulls

| THOMAS | | MEEKS | | MRNAK | | | | |
|-----------------------|------------|-------|------------|-------|------------|-------|------------|-----------------------|
| Place | A | B | A | REF | B | Final | Place | |
| 1st | 324 | | 324 | | 324 | | 324 | 1st |
| 2nd | 326 | | 326 | | 326 | | 326 | 2nd |
| 3rd | 336 | | 334 | | 334 | | 334 | 3rd |
| 4th | 334 | | 336 | | 336 | | 336 | 4th |
| 5th | | | | | | | | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **313**

Class **155B**

Exhibitor: **Burns Farms - Pikeville, TN**

Averages

DOA: **666** Range in age: **10 days**
WT: **2,052** Pen/Load WT: **6,155**
WDA: **3.08**
SC: **42.2**

EPDs

CE: **2.1**
BW: **3.2**
WW: **64**
YW: **108**
DMI: **0.4**
SC: **1.4**
SCF: **17.3**
MILK: **25**
MCE: **2.7**
MCW: **106**
UDDR: **1.3**
TEAT: **1.3**
CW: **84**
FAT: **0.02**
REA: **0.72**
MARB: **-0.07**
\$BMI: **377**
\$BII: **445**
\$CHB: **128**

Scratches

Pen / Load: **329**

Class **155B**

Exhibitor: **Nelson Herefords - Burwell, NE**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 688 | Range in age: | 10 days |
| WT: | 1,770 | Pen/Load WT: | 5,310 |
| WDA: | 2.57 | | |
| SC: | 40.3 | | |

Scratches

EPDs

| | |
|--------|-------------|
| CE: | 7.7 |
| BW: | 2.5 |
| VW: | 51 |
| YW: | 77 |
| DMI: | 0.4 |
| SC: | 1.1 |
| SCF: | 16.8 |
| MILK: | 31 |
| MCE: | 7.1 |
| MCW: | 87 |
| UDDR: | 1.2 |
| TEAT: | 1.2 |
| CW: | 69 |
| FAT: | 0.01 |
| REA: | 0.42 |
| MARB: | 0.00 |
| \$BMI: | 348 |
| \$BII: | 408 |
| \$CHB: | 99 |

Pen / Load: **303**

Class **155B**

Exhibitor: **Douthit Herefords - St Francis, KS**

Averages

| | | | |
|------|--------------|---------------|----------------|
| DOA: | 702 | Range in age: | 15 days |
| WT: | 1,595 | Pen/Load WT: | 4,785 |
| WDA: | 2.27 | | |
| SC: | 40.3 | | |

Scratches

RE 838

EPDs

| | |
|--------|-------------|
| CE: | 6.0 |
| BW: | 1.8 |
| WW: | 51 |
| YW: | 84 |
| DMI: | 0.3 |
| SC: | 1.1 |
| SCF: | 10.6 |
| MILK: | 18 |
| MCE: | 4.9 |
| MCW: | 88 |
| UDDR: | 1.3 |
| TEAT: | 1.3 |
| CW: | 62 |
| FAT: | 0.00 |
| REA: | 0.29 |
| MARB: | 0.07 |
| \$BMI: | 251 |
| \$BII: | 313 |
| \$CHB: | 95 |

Class: 155B Yearling Bulls

| MRNAK | | THOMAS | | MEEKS | | | | |
|-----------------------|------------|--------|------------|-------|------------|-------|------------|-----------------------|
| Place | A | B | REF | B | REF | Final | Place | |
| 1st | 313 | | 313 | | 313 | | 313 | 1st |
| 2nd | 329 | | 329 | | 329 | | 329 | 2nd |
| 3rd | 303 | | 303 | | 303 | | 303 | 3rd |
| 4th | | | | | | | | 4th |
| 5th | | | | | | | | 5th |
| 6th | | | | | | | | 6th |
| 7th | | | | | | | | 7th |

Pen / Load: **305**

Class **156**

Exhibitor: **Barnes Herefords - Marietta, GA**

Averages

DOA: **751** Range in age: **7 days**
WT: **1,870** Pen/Load WT: **5,610**
WDA: **2.49**
SC: **39.0**

Scratches

BE 345F

EPDs

CE: **9.8**
BW: **1.1**
WW: **51**
YW: **79**
DMI: **0.2**
SC: **1.1**
SCF: **16.1**
MILK: **26**
MCE: **5.5**
MCW: **93**
UDDR: **1.3**
TEAT: **1.4**
CW: **57**
FAT: **0.03**
REA: **0.33**
MARB: **0.16**
\$BMI: **336**
\$BII: **408**
\$CHB: **88**

Class & Division: 156 Senior Bulls

| THOMAS | | MEEKS | | MRNAK | | | |
|-----------------------|------------|------------|------------|------------|-----------------------|--|--|
| Place | A | B | REF | Final | Place | | |
| 1st | 305 | 305 | 305 | 305 | 1st | | |
| 2nd | | | | | 2nd | | |
| 3rd | | | | | 3rd | | |
| 4th | | | | | 4th | | |
| 5th | | | | | 5th | | |
| 6th | | | | | 6th | | |
| 7th | | | | | 7th | | |

